

L Number	Hits	Search Text	DB	Time stamp
8	0	"tri metallic sheet" and metal near layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 08:02
9	2	20020000331.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 08:07
10	103	jairazbhoy.inv.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 08:14
11	4	jairazbhoy.inv.and tri near metal adj layer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 08:18
12	11	("3801388" "3953924" "4404059" "5177863" "5453581" "5489750" "5542174" "5738797" "5932993" "6115262" "6169253").PN.	USPAT	2004/04/26 08:16
13	9	tri near metal adj layer and (361/748-751; 361/743 ; 361/760 ; 361/767 ; 361/768 ; 361/771 ; 361/777 ; 361/782 ; 361/783 ; 361/808 ; 174/250 ; 174/255-261 ; 29/832 ; 29/840 ; 29/830 ; 29/831 ; 228/180.21 ; 228/180.22 ; 228/248.1 ; 228/254 ; 427/96 ; 438/108 ; 438/119).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:14
14	7	tri near metal adj layer and (29/846, 174/261 , 174/263 , 29/825 , 29/830 , 29/840 , 439/82 , 439/943).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/26 09:14

Search update
mt

	Title	Current OR
1	Method for making an electronic circuit assembly	174/263
2	Method for fabricating connectors for interconnecting etched tri-metal circuit structures	29/846
3	Method for making an electronic circuit assembly	29/840
4	Pad configurations for improved etching of multilayer circuit assemblies	174/261
5	Bond pads for fine-pitch applications on air bridge circuit boards	174/257
6	Continuous Flexible chemically-milled circuit assembly with multiple conductor layers and method of making same	216/13
7	Method of drilling vias and through holes	29/852

	Current XRef	Retrieval Classif
1	174/260; 29/830; 29/832; 29/840; 29/843; 29/847	174/263; 29/830; 29/840
2	174/261; 174/263; 29/825; 29/830; 29/840; 439/82; 439/943	174/261; 174/263; 29/825; 29/830; 29/840; 29/846; 439/82; 439/943
3	174/261; 29/831; 29/832; 29/834; 29/846	174/261; 29/840; 29/846
4	174/255; 361/767	174/261
5	174/250; 174/261; 216/13; 216/15; 361/748; 361/774; 361/777	174/261
6	216/20; 29/830; 29/847	29/830
7	174/262; 216/17; 216/20; 216/52; 29/846	29/846